Husqvarna

HUSQVARNA 135R

Versatile brushcutter, perfect for homeowners. Easy starting with Auto-return stop switch and fuel pump. The X-Torq® engine provide raw power and excellent fuel economy. Comes with double harness, easy loading semi automatic trimmer head and grass knife.





Standard double harness
Standard harness for lighter brushcutters.



Grass bevel gear
Bevel gear designed with high torque and the cutting equipment parallell to the ground for best cutting performance



Adjustable handle bar
Adjustable and ergonomically designed handlebar for best comfort.



X-Torq® engine
The X-Torq® engine design reduces harmful exhaust emissions by up to 75% and increases fuel efficiency by up to 20%.



Fuel pump
Fuel pump designed for easy starting.



Auto return stop switch
When the machine is turned off, the stop button automatically returns to start position for trouble free start.

Additional features

Combi-guard
The cutting attachment combi-guard can be used with either a grass blade or a trimmer head.

Tap 'n Go trimmer head
Twin line cutting system with Tap 'n Go for quick line feed.

Comfortable handle
Comfortable handle design.

Technical data

Engine specification

Cylinder displacement	34.6 cm^3 / 2.1 cu.inch
Cylinder bore	38 mm / 1.5 inch
Cylinder stroke	30.5 mm / 1.2 inch
Power output	1.4 kW
Maximum power speed	8400 rpm
Fuel tank volume	0.6 lit / 20.3 fl oz
Fuel consumption	435 g/kWh
Ignition module air gap	0.3 mm / 0.01 "

Technical data

Idling speed	2900 rpm
Spark plug	Champion RCJ6Y
Electrode gap	0.5 mm / 0 "
Clutch engagement speed	3800 rpm (±120 rpm)
Vibration & noise data	
Equivalent vibration level (ahv, eq) left / right handle	2.9/2.5 m/s^2
Sound pressure level at operators ear	98 dB(A)
Sound power level, guaranteed (LWA)	113 dB(A)
Transmission data	
Gear ratio	1:1.4
Drive gear angle	35 °
Equipment	
OEM Trimmer head	T35 M12
OEM Grass blade	Multi 300-3
OEM Harness	Standard double harness
Overall dimensions	
Weight (excl. cutting equipment)	6.8 kg / 15 lbs
Tube length	1483 mm / 58.4 inch
Tube diameter	28 mm / 1.1 "
Logistical data	
Packaging size, LxWxH1xH2	1834x324x310x114 mm / 72.2x12.8x12.2x4.5 inch

Standard equipment



537 33 16-01 - Combi guards

For trimmer heads and grass blades.



578 44 64-01 - Trimmer head T35

Exclusively designed by Husqvarna the T35 trimmer head features a semi-automatic cord feed system which we also call Tap’n go. The trimmer line is fed automatically when the head is pushed into the ground. This means that the user always controls when the line is fed and the line can be fed while working with the machine. The machine does not need to be turned off or released from the harness while feeding is taking place.



578 44 45-01 - Grass knife 3-tooth

For dense, and heavy grass, but not for woody growth. Perfect to use when clearing undergrowth.



503 89 01-02 - Support cup

Prevents the blade from digging into ground. Two versions. One rotates with the blade and the other runs on bearings for extended life.

Standard equipment



537 21 63-01 - Harness Standard

Designed for lighter brush cutters and trimmers. Adjustable, padded shoulder straps. Simple and effective quick release on chest.

Accessories



578 44 76-01
Trimmer head S35

Trimmer head with manual cord feed. The cord is fed manually by the user when pushing the cord feed button and pulling the cord.



578 44 66-01
Trimmer head T35X

Exclusively designed by Husqvarna the T35X trimmer head features a semi-automatic cord feed system “Tap’n go“ and ball bearing resting surface. Features developed for users with high demands on durability and minimized downtime. The trimmer line is fed automatically when the head is pushed into the ground. This means that the user always controls when the line is fed and the line can be fed while working with the machine.



578 44 93-01
Tri-Cut

For coarser grass and terrain with stones. Highly visible, replaceable plastic flails, safe for use around trees and bushes.



578 44 80-01
Trimmer head F 35

A trimmer head that is easy to use and has a quick and easy cord feeding and needs minimal maintenance. The cord is loaded without opening the head and any trimmer cord from Husqvarna's range can be used. Most efficient, in respect of cutting result and reloading, is to use our pre-cut F Line that is specially developed for this trimmer head. The head is universal and fits most other brands and can be used on a wide range of machines and a wide range of vegetation.

Accessories



578 44 80-01
Trimmer head F 35

A trimmer head that is easy to use and has a quick and easy cord feeding and needs minimal maintenance. The cord is loaded without opening the head and any trimmer cord from Husqvarna's range can be used. Most efficient, in respect of cutting result and reloading, is to use our pre-cut F Line that is specially developed for this trimmer head. The head is universal and fits most other brands and can be used on a wide range of machines and a wide range of vegetation.



578 44 49-01
Grass knife 3-tooth

For dense, and heavy grass, but not for woody growth. Perfect to use when clearing undergrowth.



578 44 47-01
Grass knife 4-tooth

For dense, coarse grass, but not for woody growth.



578 44 68-01
Trimmer head T45X

Exclusively designed by Husqvarna the T45X trimmer head features a semi-automatic cord feed system “Tap’n go“ and ball bearing resting surface. Features developed for users with high demands on durability and minimized downtime. The trimmer line is fed automatically when the head is pushed into the ground. This means that the user always controls when the line is fed and the line can be fed while working with the machine.



578 44 68-01
Trimmer head T45X

Exclusively designed by Husqvarna the T45X trimmer head features a semi-automatic cord feed system “Tap’n go“ and ball bearing resting surface. Features developed for users with high demands on durability and minimized downtime. The trimmer line is fed automatically when the head is pushed into the ground. This means that the user always controls when the line is fed and the line can be fed while working with the machine.



578 44 72-01
Trimmer head Auto 55

Semi-/fully automatic trimmer head. Cord is fed automatically when it is to short. The cord length is self-adjusting.



578 44 78-01
Trimmer head Trimmy SII

Trimmer head with manual cord feed. The cord is fed manually by the user when pushing the cord feed button and pulling the cord.

Spare parts



576 21 53-01
Air filter



503 23 51-09
Spark plug RCJ6Y
RCJ6Y



575 84 08-01
Starter Assy



544 88 97-01
Fuel Cap
2004-2008



544 88 97-01
Fuel Cap
2004-2008



503 44 32-01
Fuel Filter
Fits 3/16" (5mm) fuel line



503 93 66-01
Purge Bubble



537 32 27-01
Antivibration



537 32 27-01
Antivibration



531 00 45-52
Diaphragm & Gasket kit



503 85 63-01
Blade Nut