Husqvarna

HUSQVARNA 236R

Husqvarna 236R is a highly durable brushcutter developed for tough work. The engines heavy duty & easy service clutch system together with the efficient airfilter leads to long product life. Delivered together with both trimmer head (T35), grass knife and standard double harness.





Robust handle system
The handle bar is attached to the tube by a die casted clamp for high durability.



Heavy duty clutch
The heavy duty clutch facilitates tough work using long cords and large diameter cutting knife.



Stand alone starter
The stand alone starter makes it easy to change starter cord if needed.



Efficient air filter
The efficient air filter provide less cost for service and less engine wear



Combi-guard
The cutting attachment combi-guard can be used with either a grass blade or a trimmer head.



Fuel pump
Fuel pump designed for easy starting.

Additional features

Bevel gear design
Proven and reliable gear design.

Standard double harness
Standard harness for lighter brushcutters.

Low rpm engine
Reliable low rpm engine.

Grass bevel gear
Bevel gear designed with high torque and the cutting equipment parallell to the ground for best cutting performance

Technical data

Engine specification

Cylinder displacement	33.6 cm^3 / 2.05 cu.inch
Power output	1.2 kW
Fuel consumption	639 g/kWh

Vibration & noise data

Equivalent vibration level (ahv, eq) left / right handle	3.9/4.3 m/s^2
Sound pressure level at operators ear	97 dB(A)
Sound power level, guaranteed (LWA)	114 dB(A)

Transmission data

Gear ratio	1:1.4

Technical data

Drive gear angle	30 °

Equipment

OEM Trimmer head	T35 M12
OEM Grass blade	Multi 330-2
OEM Harness	Standard double harness

Overall dimensions

Weight (excl. cutting equipment)	7.2 kg / 15.87 lbs

Logistical data

Weight incl. packaging	13 kg / 28.66 lbs
Packaging size, LxWxH	350x330x360 mm / 13.78x12.99x14.17 inch
Additional packaging size	1670x125x125 mm / 65.75x4.92x4.92 inch
Products per 20ft container	360 pcs
Products per 40ft container	800 pcs
Products per 40ft HC container	980 pcs

Standard equipment



537 33 16-01 - Combi guards

For trimmer heads and grass blades.



578 44 64-01 - Trimmer head T35

Exclusively designed by Husqvarna the T35 trimmer head features a semi-automatic cord feed system which we also call Tap’n go. The trimmer line is fed automatically when the head is pushed into the ground. This means that the user always controls when the line is fed and the line can be fed while working with the machine. The machine does not need to be turned off or released from the harness while feeding is taking place.



537 21 63-01 - Harness Standard

Designed for lighter brush cutters and trimmers. Adjustable, padded shoulder straps. Simple and effective quick release on chest.

Accessories



578 44 76-01
Trimmer head S35

Trimmer head with manual cord feed. The cord is fed manually by the user when pushing the cord feed button and pulling the cord.



578 44 64-01
Trimmer head T35

Exclusively designed by Husqvarna the T35 trimmer head features a semi-automatic cord feed system which we also call Tap'n go. The trimmer line is fed automatically when the head is pushed into the ground. This means that the user always controls when the line is fed and the line can be fed while working with the machine. The machine does not need to be turned off or released from the harness while feeding is taking place.



578 44 66-01
Trimmer head T35X

Exclusively designed by Husqvarna the T35X trimmer head features a semi-automatic cord feed system "Tap'n go" and ball bearing resting surface. Features developed for users with high demands on durability and minimized downtime. The trimmer line is fed automatically when the head is pushed into the ground. This means that the user always controls when the line is fed and the line can be fed while working with the machine.



578 44 72-01
Trimmer head Auto 55

Semi-/fully automatic trimmer head. Cord is fed automatically when it is to short. The cord length is self-adjusting.



578 44 72-01
Trimmer head Auto 55

Semi-/fully automatic trimmer head. Cord is fed automatically when it is to short. The cord length is self-adjusting.



578 44 78-01
Trimmer head Trimmy SII

Trimmer head with manual cord feed. The cord is fed manually by the user when pushing the cord feed button and pulling the cord.



578 44 93-01
Tri-Cut

For coarser grass and terrain with stones. Highly visible, replaceable plastic flails, safe for use around trees and bushes.



578 44 49-01
Grass knife 3-tooth

For dense, and heavy grass, but not for woody growth. Perfect to use when clearing undergrowth.



578 44 49-01
Grass knife 3-tooth

For dense, and heavy grass, but not for woody growth. Perfect to use when clearing undergrowth.



578 44 45-01
Grass knife 3-tooth

For dense, and heavy grass, but not for woody growth. Perfect to use when clearing undergrowth.



578 44 25-01
Saw blade Scarlet

Efficient and durable with a tooth design that gives a smooth cut and reduces the risk of the blade getting pinched in the wood



578 44 68-01
Trimmer head T45X

Exclusively designed by Husqvarna the T45X trimmer head features a semi-automatic cord feed system “Tap’n go“ and ball bearing resting surface. Features developed for users with high demands on durability and minimized downtime. The trimmer line is fed automatically when the head is pushed into the ground. This means that the user always controls when the line is fed and the line can be fed while working with the machine.

Spare parts



505 30 92-01
Air filter



521 23 12-01
Spark plug



505 30 17-01
Starter Assy



506 67 10-01
Fuel Cap



506 67 10-01
Fuel Cap



506 61 46-01
Fuel Filter



506 61 27-01
Purge Bubble



505 29 33-01
Antivibration



505 29 33-01
Antivibration



505 29 34-01
Antivibration



502 29 11-01
Blade Nut