Husqvarna 129LK

NEW!

Trimmer 129LK is a multi-purpose tool that features a powerful 27cc engine and professional quality – combined with a focus on ease of use. It is easy to start thanks to Smart Start®, intuitive controls and the automatic stop return switch – a feature that automatically resets to the ON position for trouble-free starting. Apart from trimmer head, 129LK can easily be equipped with a number of other pro-quality tools: blower, pole saw, cultivator, hedge trimmer and edger, by changing the lower part of the shaft.





Intuitive controls
The choke and purge are easy to reach and understand.



Auto return stop switch
Stop switch automatically resets to the ON position for trouble-free starting.



Fuel pump
Fuel pump designed for easy starting.



Smart Start®
The engine and starter have been designed so the machine starts quickly with minimum effort. Resistance in the starter cord is reduced by up to 40%.



See-through fuel tank
See-through fuel tank for easier refueling.



Detachable shaft
Detachable shaft for easy transport and storage.

Additional features

Multi purpose
Multi-purpose machine with several attachments available as accessories.

Click on attachments
Click on attachments for easy tool change.

Tap 'n Go trimmer head
Twin line cutting system with Tap 'n Go for quick line feed.

Technical data

Engine specification

Cylinder displacement	27.5 cm^3 / 1.68 cu.inch
Cylinder bore	36 mm / 1.42 inch
Cylinder stroke	27 mm / 1.06 inch
Power output	0.85 kW
Maximum power speed	8000 rpm
Fuel tank volume	0.343 lit / 11.6 fl oz
Fuel consumption	495 g/kWh
Ignition module air gap	0.3 mm / 0.01 "

Technical data

Idling speed	2800 rpm
Spark plug	NGK CMR6A
Electrode gap	0.5 mm / 0.02 "
Clutch engagement speed	4200 rpm (±120 rpm)
Lubricant type	Husqvarna 2 stroke or equiv. at 50:1
Maximum rpm output shaft	10500 rpm
Vibration & noise data	
Equivalent vibration level (ahv, eq) left / right handle	9.9/8.9 m/s^2
Sound pressure level at operators ear	95 dB(A)
Sound power level, guaranteed (LWA)	114 dB(A)
Transmission data	
Drive gear angle	35 °
Equipment	
OEM Trimmer head	T25 (L)
Overall dimensions	
Weight (excl. cutting equipment)	4.67 kg / 10.3 lbs
Logistical data	
Weight incl. packaging	8.56 kg / 18.88 lbs
Product size, LxWxH	173.67x34.29x26.03 mm / 68.375x13.5x10.25 inch
Weight packaging	1.45 kg / 3.2 lbs
Packaging Type	Cardboard 2-color
Packaging size, LxWxH	349.25x279.4x965.2 mm / 13.75x11x38 inch

Standard equipment



545 03 09-01 - Combi guards

For trimmer heads and grass blades.



578 44 61-01 - Trimmer head T25

Exclusively designed by Husqvarna the T25 trimmer head features a semi-automatic cord feed system which we also call Tap’n go. The trimmer line is fed automatically when the head is pushed into the ground. This means that the user always controls when the line is fed and the line can be fed while working with the machine. The machine does not need to be turned off or released from the harness while feeding is taking place.

Accessories



967 28 64-01
Blower attachment BA101

Blower attachment for combi products. Powerful blower that frees paths and driveways from leaves, litter and grass clippings. Shaft diameter 24 mm.



537 42 54-01
Cultivator attachment

Ideal on delicate flowerbeds and around the base of trees.



537 19 69-01
Edger attachment

Keeps lawns, pathways and flowerbeds looking good with straight neat edging. Shaft diameter 24 mm.



537 19 66-05
Hedge trimmer attachment

Hedge trimmer attachment for combi products



537 19 66-05
Hedge trimmer attachment

Hedge trimmer attachment for combi products



537 19 66-06
Hedge trimmer attachment

Pole hedge trimmer attachment for combi products



537 18 33-23
Pole saw attachment PA1100

Pole saw attachment for combi trimmers. Gives extra reach when needed. Cuts branches up to approximately 15 cm in thickness.



967 29 44-01
Sweeper attachment SR600-2

Sweeper attachment for combi products. Rubber broom with large capacity that cleans sand and gravel from paths, driveways and lawns. Guard is included. Shaft diameter 24 mm.



967 29 44-01
Sweeper attachment SR600-2

Sweeper attachment for combi products. Rubber broom with large capacity that cleans sand and gravel from paths, driveways and lawns. Guard is included. Shaft diameter 24 mm.



967 29 67-01
BR600

Bristle brush attachment for combi products. Removes dirt from paths, driveways and even in deep grooves. Guard is included. Shaft diameter 24 mm.



967 29 71-01
Extension attachment

Shaft extension attachment for combi products. Gives an extra reach of almost 80 cm. Shaft diameter 24 mm.